

Amendments in the Claims: (struck-through parts deleted and underlined parts added)

1. (original) An aerosol can support and actuating device comprising:
an elongated pole having a bottom end and a top end, said top end being open, an
5 aperture extending into an interior of said pole, a notch extending into said
top end such that a lip is defined, said lip being spaced from said top end,
said aperture being positioned nearer said bottom end than said top end;
an elongated tether extending through said aperture and outwardly through said
top end;
10 an attaching member being attached to said pole for selectively attaching the
aerosol can to the pole when the aerosol can is positioned on the lip; and
wherein said tether is removably coupled to an actuator of the aerosol can for
selectively dispensing contents of the aerosol can.

15 2. (original) The device of claim 1, wherein a distance between said lip and
said top end is generally between seven and nine inches.

3. (original) The device of claim 1, wherein said pole is selectively
telescoping and including a plurality of sections slidably coupled together, said sections
20 being selectively lockable in an extended position.

4. (original) The device of claim 1, wherein a first end of said tether being
positioned adjacent to said aperture, a second end of said tether being positioned adjacent
to said top end, a hook being attached to said second end of said tether for engaging the
25 actuator.

5. (original) The device of claim 1, wherein said attaching member includes
a strap for extending around the aerosol can, a hook and loop fastener being attached to
said strap for fastening said strap around the aerosol can.

30

6. (original) The device of claim 3, wherein said attaching member includes a strap for extending around the aerosol can, a hook and loop fastener being attached to said strap for fastening said strap around the aerosol can.

5 7. (original) The device of claim 6, further including a handle being attached to said bottom end of said pole.

8. (original) The device of claim 1, further including a handle being attached to said bottom end of said pole.

10 9. (original) An aerosol can support and actuating device comprising:
an elongated pole having a bottom end and a top end, said top end being open, an
aperture extending into an interior of said pole, a notch extending into said
top end such that a lip is defined, said lip being spaced from said top end,
15 a distance between said lip and said top end being generally between
seven and nine inches, said aperture being positioned nearer said bottom
end than said top end, said pole being selectively telescoping and
including a plurality of sections slidably coupled together, said sections
being selectively lockable in an extended position;
20 an elongated tether extending through said aperture and outwardly through said
top end, a first end of said tether being positioned adjacent to said
aperture, a second end of said tether being positioned adjacent to said top
end, a hook being attached to said second end of said tether;
an attaching member being attached to said pole for selectively attaching the
25 aerosol can to the pole when the aerosol can is positioned on the lip, said
attaching member being positioned generally adjacent to said top end, said
attaching member including a strap for extending around the aerosol can, a
hook and loop fastener being attached to said strap for fastening said strap
around the aerosol can;

a handle being attached to said bottom end of said pole; and wherein said tether is removably coupled to an actuator of the aerosol can for selectively dispensing contents of the aerosol can.

5 10. (new) An aerosol can support and actuating device comprising:
an elongated pole having a bottom end and a top end, said top end being open, an aperture extending into an interior of said pole, a notch extending into said top end such that a lip is defined extending into a peripheral side of said pole, said lip being spaced from said top end and defining a ledge, the
10 aerosol can being removably positioned on said ledge, said aperture being positioned nearer said bottom end than said top end;
an elongated tether extending through said aperture and outwardly through said top end;
an attaching member being attached to said pole for selectively attaching the
15 aerosol can to the pole when the aerosol can is positioned on the lip; and
wherein said tether is removably coupled to an actuator of the aerosol can for selectively dispensing contents of the aerosol can.

20 11. (new) The device of claim 10, wherein a distance between said lip and said top end is generally between seven and nine inches.

25 12. (new) The device of claim 10, wherein said pole is selectively telescoping and including a plurality of sections slidably coupled together, said sections being selectively lockable in an extended position.

30 14. (new) The device of claim 10, wherein a first end of said tether being positioned adjacent to said aperture, a second end of said tether being positioned adjacent to said top end, a hook being attached to said second end of said tether for engaging the actuator.

15. (new) The device of claim 10, wherein said attaching member includes a strap for extending around the aerosol can, a hook and loop fastener being attached to said strap for fastening said strap around the aerosol can.

5 16. (new) The device of claim 13, wherein said attaching member includes a strap for extending around the aerosol can, a hook and loop fastener being attached to said strap for fastening said strap around the aerosol can.

10 17. (new) The device of claim 16, further including a handle being attached to said bottom end of said pole.

18. (new) The device of claim 10, further including a handle being attached to said bottom end of said pole.

15 19. (new) The device of claim 10, wherein:
said aperture is positioned nearer said bottom end than said top end, said pole
being selectively telescoping and including a plurality of sections slidably
coupled together, said sections being selectively lockable in an extended
position;
20 a second end of said tether is positioned adjacent to said top end, a hook being
attached to said second end of said tether;
said attaching member is positioned generally adjacent to said top end, said
attaching member including a strap for extending around the aerosol can, a
hook and loop fastener being attached to said strap for fastening said strap
25 around the aerosol can; and
a handle being attached to said bottom end of said pole; and wherein said tether is
removably coupled to an actuator of the aerosol can for selectively
dispensing contents of the aerosol can.